

### STATE OF DRUPAL

Dries Buytaert · @Dries on Twitter · #Driesnote

Why?

#### What is our purpose?

## We work, we earn, we feed our children

Is there more?

#### Yes

#### We are changing the world

#### We help individuals build a dream

## We help individuals build a dream We give small organizations a big voice

## We help individuals build a dream We give small organizations a big voice We give enterprises a new idea

# We help individuals build a dream We give small organizations a big voice We give enterprises a new idea

We inspire wonder and delight

We help individuals build a dream

We give small organizations a big voice

We give enterprises a new idea

We inspire wonder and delight

We admit no boundaries

#### And we will do it again

## Hello my name is

## Drupal





### GINITATIVES





MOBILE



BLOCKS++











MOBILE



BLOCKS++



MULTILINGUAL



**VIEWS** 







MOBILE



**BLOCKS++** 



MULTILINGUAL



**VIEWS** 







MOBILE



BLOCKS++











MOBILE



BLOCKS++



MULTILINGUAL



**VIEWS** 







MOBILE



BLOCKS++







### GINITATIVES



## OVER NEW FEATURES

## OVER NEW FEATURES

## UVER NEW FEATURES

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

Mobile-friendly toolbar

Breakpoint API

Responsive images

Accessibility improvements

New entity and field system

Improved modules page

Symfony components

Native RESTful web services


**PHPUnit** 

Backbone

Underscore

Guzzle HTTP client and framework

Modernizr



## UMER NEW FEATURES

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

Mobile-friendly toolbar

Breakpoint API

Responsive images

Accessibility improvements

New entity and field system

Re-designed modules page

Symfony components

Native RESTful web services

**PHPUnit** 

Backbone

Underscore

Guzzle HTTP client and framework

Modernizr

## UWEK NEW FEATURES

Custom block entities

Re-designed block UI

Human-readable image style names

Image uploading, captioning and aligning in WYSIWYG

Universal modal dialog

Re-built server-side ajax API

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

Mobile-friendly toolbar

Breakpoint API

Responsive images

Accessibility improvements

New entity and field system

Re-designed modules page

Symfony components

### SCHEMA.ORG for semantic markup

```
<div vocab="http://schema.org/" typeof="Offer">
    <span property="name">Blend-O-Matic</span>
    <span property="price">$19.95</span>
    <img src="four-stars.jpg" />
    Based on 25 user ratings
    </div>
```

### SCHEMA.ORG for semantic markup

```
<span property="name">Blend-O-Matic</span>
 <span property="price">$19.95</span>
 <img src="four-stars.jpg" />
 Based on 25 user ratings
</div>
<div vocab="http://schema.org/" typeof="Offer">
  <span property="name">Blend-O-Matic</span>
  <span property="price">$19.95</span>
  <div property="reviews" typeof="AggregateRating">
   <img src="four-stars.jpg" />
   <meta property="ratingValue" content="4" />
   <meta property="bestRating" content="5" />
   Based on <span property="ratingCount">25</span> user ratings
 </div>
```

<div vocab="http://schema.org/" typeof="Offer">

</div>

#### BETTER SEO

Amazon.com: OXO Good Grips Swivel Peeler: Kitchen & Dining www.amazon.com > ... > Fruit & Vegetable Tools > Peelers ▼

★★★★ Rating: 4.5 - 286 reviews - \$8.95

Whether peeling a Granny Smith apple or a fruit with an even tougher skin, the swivel peeler by Oxo is an essential tool in any kitchen. Its flexible, rotating ...

#### BETTER SEO

Amazon.com: OXO Good Grips Swivel Peeler: Kitchen & Dining

www.amazon.com > ... > Fruit & Vegetable Tools > Peelers ▼

★★★★ Rating: 4.5 - 286 reviews - \$8.95

Whether peeling a Granny Smith apple or a fruit with an even tougher skin, the swivel peeler by Oxo is an essential tool in any kitchen. Its flexible, rotating ...

#### Lady Gaga | Free Music, Tour Dates, Photos, Videos -1 Q

www.myspace.com/ladygaga - Cached

Lady Gaga's official profile including the latest music, albums, songs, music videos and more updates.


Judas	<b></b> 4:10	Judas
The Edge Of Glory	<b>.7</b> 5:21	Born This Way
Born This Way	<b>.</b> 7 4:20	Born This Way
Yoü And I	<b>.7</b> 5:07	Born This Way

#### Salad - Thai Green Mango Salad Recipe



\*\*\* ★ 5 reviews - Total cook time: 20 mins

You asked for a one-page printable version of my step-by-step Green Mango Salad recipe, so here it is! This salad will blow you away with its ... thaifood.about.com/od/thaisnacks/r/greenmangosalad.htm - Cached - Similar





#### UVER NEW FEATURES

Re-designed block UI

New theme system (twig)

Human-readable image style names

Image uploading, captioning and aligning in WYSIWYG

Universal modal dialog

Re-built server-side ajax API

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

Mobile-friendly toolbar

**Breakpoint API** 

Responsive images

Accessibility improvements

New entity and field system

Re-designed modules page

Symfony components

#### UVEK NEW FEATURES

Configuration management system

Redesigned content creation UI

Content structure tools: Email, Link, Entity Reference, Telephone, Date

Re-designed responsive admin theme

Improved modules page

Custom block entities

Re-designed block UI

New theme system (twig)

Human-readable image style names

Image uploading, captioning and aligning in WYSIWYG

Universal modal dialog

Re-built server-side ajax API

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

```
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
 <?php print $user_picture; ?>
 <?php print render($title_prefix); ?>
 <?php if (!$page): ?>
   <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?php print $title; ?></a></h2>
 <?php endif; ?>
 <?php print render($title_suffix); ?>
 <?php if ($display_submitted): ?>
   <div class="submitted">
     <?php print $submitted; ?>
   </div>
 <?php endif; ?>
 <div class="content"<?php print $content_attributes; ?>>
   <?php
     // We hide the comments and links now so that we can render them later.
     hide($content['comments']);
     hide($content['links']);
     print render($content);
   ?>
 </div>
 <?php print render($content['links']); ?>
                                                                          DRUPAL 7
 <?php print render($content['comments']); ?>
```

```
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
 <?php print $user_picture; ?>
 <?php print render($title_prefix);</pre>
 <?php if (!$page): ?>
   <h2<?php print $title_attributes; ?>><a \ref="<?php print $node_url; ?>"><?php print $title; ?></a></h2>
 <?php endif; ?>
 <?php print render($title_suffix); ?>
 <?php if ($display_submitted): ?>
   <div class="submitted">
                                                         Print variable
     <?php print $submitted; ?>
   </div>
 <?php endif; ?>
 <div class="content"<?php print $content_attributes; ?>>
   <?php
     // We hide the comments and links now so that we can render them later.
     hide($content['comments']);
     hide($content['links']);
     print render($content);
   ?>
 </div>
 <?php print render($content['links']); ?>
                                                                        DRUPAL 7
```

<?php print render(\$content['comments']); ?>

```
<?php print render($title prefix); ?>
                                    class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
<?php print $user_picture; ?>
<?php print render($title_prefix); ?>
<?php if (!$page): ?>
 <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?php print $title; ?></a></h2>
<?php endif; ?>
<?php print render($title_suffix); ?>
                                                    Why does this
<?php if ($display_submitted): ?>
                                                    need to be
 <div class="submitted">
   <?php print $submitted; ?>
                                                    rendered?
 </div>
<?php endif; ?>
<div class="content"<?php print $content_attributes; ?>>
 <?php
   // We hide the comments and links now so that we can render them later.
   hide($content['comments']);
   hide($content['links']);
   print render($content);
 ?>
</div>
<?php print render($content['links']); ?>
                                                                   DRUPAL 7
<?php print render($content['comments']); ?>
```

```
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
 <?php print $user_picture; ?>
 <?php print render($title_prefix); ?>
 <?php if (!$page): ?>
   <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?php print $title; ?></a></h2>
 <?php endif; ?>
 <?php print render($title_suffix); ?>
 <?php if ($display_submitted): ?>
                                                       Switching in
   <div class="submitted">
     <?php print $submitted; ?>
                                                       and out of PHP
 <?php endif; ?>
 <div class="content"<?php print $content_attributes; ?>>
   <?php
     // We hide the comments and links now so that we can render them later.
     hide($content['comments']);
     hide($content['links']);
     print render($content);
   ?>
 </div>
                                                                     DRUPAL 7
 <?php print render($content['links']); ?>
 <?php print render($content['comments']); ?>
```

```
<article id="node-{{ node.id }}" class="{{ attributes.class }} clearfix"{{ attributes }}>
 {{ title_prefix }}
 {% if not page %}
   <h2 {{ title_attributes }}>
     <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>
   </h2>
 {% endif %}
 {{ title_suffix }}
 {% if display_submitted %}
   <footer>
     {{ user_picture }}
     {{ submitted }}
   </footer>
 {% endif %}
 <div {{ content_attributes }}>
   {# We hide the comments and links now so that we can render them later. #}
   {% hide(content.comments) %}
   {% hide(content.links) %}
   {{ content }}
 </div>
 {{ content.links }}
```

DRUPAL 8

{{ content.comments }}

```
<article id="node-{{ node.id }}" | class="{{ attributes.class }} clearfix"{{ attributes }}>
 {{ title_prefix }}
                                       No switching to PHP, just print variables
 {% if not page %}
   <h2 {{ title_attributes }}>
     <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>
   </h2>
 {% endif %}
 {{ title_suffix }}
 {% if display_submitted %}
   <footer>
     {{ user_picture }}
     {{ submitted }}
   </footer>
 {% endif %}
 <div {{ content_attributes }}>
   {# We hide the comments and links now so that we can render them later. #}
   {% hide(content.comments) %}
   {% hide(content.links) %}
   {{ content }}
 </div>
                                                                DRUPAL 8
 {{ content.links }}
 {{ content.comments }}
```

```
<article id="node-{{ node.id }}" class="{{ attributes.class }} clearfix"{{ attributes }}>
 {{ title_prefix }}
 {% if not page %}
   <h2 {{ title_attributes }}>
     <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>
   </h2>
 {% endif %}
 {{ title_suffix }}
 {% if display_submitted %}
                                                   NO PHP!
   <footer>
     {{ user_picture }}
     {{ submitted }}
   </footer>
 {% endif %}
 <div {{ content_attributes }}>
   {# We hide the comments and links now so that we can render them later. #}
   {% hide(content.comments) %}
   {% hide(content.links) %}
   {{ content }}
 </div>
 {{ content.links }}
```

DRUPAL 8

{{ content.comments }}

```
<article id="node-{{ node.id }}" class="{{ attributes.class }} clearfix"{{ attributes }}>
 {{ title_prefix }}
 {% if not page %}
   <h2 {{ title_attributes }}>
     <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>
   </h2>
 {% endif %}
 {{ title_suffix }}
 {% if display_submitted %}
   <footer>
     {{ user_picture }}
     {{ submitted }}
   </footer>
 {% endif %}
 <div {{ content_attributes }}>
   {# We hide the comments and links now so that we can render them later. #}
   {% hide(content.comments) %}
   {% hide(content.links) %}
   {{ content }}
 </div>
                                      No rendering,
 {{ content.links }}
```

all variables are already rendered

DRUPAL 8

{{ content.comments }}

```
<article id="node-{{ node.id }}" class="{{ attributes.class }} clearfix"{{ attributes }}>
 {{ title_prefix }}
 {% if not page %}
   <h2 {{ title_attributes }}>
     <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>
   </h2>
 {% endif %}
 {{ title_suffix }}
                                                HINL 5
 {% if display_submitted %}
   <footer>
     {{ user picture }}
     {{ submitted }}
   </footer>
 {% endif %}
 <div {{ content_attributes }}>
   {# We hide the comments and links now so that we can render them later. #}
   {% hide(content.comments) %}
   {% hide(content.links) %}
   {{ content }}
 </div>
 {{ content.links }
 {{ content.comments }}
```

DRUPAL 8

#### UMEK NEW FEATURES

Customizable software translation

Configuration management system

Responsive admin theme

Content structure tools: Email, Link, Entity Reference, Telephone, Date

Improved modules page

Custom block entities

Re-designed block UI

New theme system (twig)

Human-readable image style names

Image uploading, captioning and aligning in WYSIWYG

Universal modal dialog

Re-built server-side ajax API

Improved content creation page

Schema.org integration

WYSIWYG in core

In-place editing

#### UNEK NEW FEATURES

Responsive tables

Re-designed, high resolution icons

Content translation applies to all entities

**Guided tours** 

Configuration translation

Text transliteration

Auto-installation and updates of translations

Language assignment on almost anything

Semantic HTML5 fields

Customizable software translation

Configuration management system

Responsive admin theme

Content structure tools: Email, Link, Entity Reference, Telephone, Date

Improved modules page

Custom block entities

Re-designed block UI

New theme system (twig)


	•					
Ca	rrier 🤝 5:27 F					
	The default value for this field, used whe creating new content.  Date  Sep 23, 2013 5:26 PM					
	Default date					
Ш	The current date					
P						
	revious Next		Don	е		
	July	21	2011			
Ì		21		e		
	July	21	2011	e		
	July August	21 22 23	2011 2012 2013			
	July August September	21 22 23 24	2011 2012 2013			

When you use the date field ...




When you use the date field ...

The device shows its date widget




Carrier   ▼ DEFAULT V	ALUE	
creating new	alue for this field, u content.	sed when
Генерионе		
	Save settings	
Previous Ne	Delete field	Done
1	<b>2</b> ABC	3 DEF
<b>4</b> вні	<b>5</b> JKL	6 mno
7 PQRS	<b>8</b>	9 wxyz
+ * #	0	<b>₹</b> X


When you use the telephone field ...




When you use the telephone field ...


The device shows the numeric keypad







#### When you use the email field ...



When you use the email field ...

The device shows the @ symbol

#### UVEK NEW FEATURES

Re-designed, high resolution icons

Content translation applies to all entities

Guided tours

Re-designed administration pages

Configuration translation

Text transliteration

Auto-installation and updates of translations

Language assignment on almost anything

Semantic HTML5 fields

Customizable software translation

Configuration management system

Responsive administrative theme

Content structure tools: Email, Link, Entity Reference, Telephone, Date

Improved modules page

Custom block entities

Re-designed block UI

New theme system (twig)

# NEW FEATURES

Admin listings converted to views

Views bulk operations on core listings

New install screen

Responsive Bartik theme

Responsive tables

Re-designed, high resolution icons

Content translation applies to all entities

**Guided tours** 

Re-designed administration pages

Configuration translation

Text transliteration

Auto-installation and updates of translations

Language assignment on almost anything


Semantic HTML5 fields

Customizable software translation

Configuration management system

Responsive administrative theme

Content structure tools: Email, Link, Entity





## WHATISINIT FOR YOU?





LARGE




### 




#### SMALL











TECH
















NON-TECH 443












# SMALL SITE OWNER



#### **Body (Edit summary)**




#### There is help



It just works


### All the basics are installed



Finding things is quick



#### About me



Editing is easy


#### Drupal


Choose language

Choose profile

Verify requirement


Set up database






It just works







Finding things is quick





#### About me



Editing is easy









It just works


All the basics are installed



Finding things is quick



About me



Editing is easy


Drupal


Choose language

Choose profile

Verify requirement


Set up database






#### It just works






Finding things is quick





#### About me



Editing is easy









It just works






Finding things is quick





#### About me



Editing is easy









It just works






Finding things is quick



#### About me



Editing is easy

#### Drupal


Choose language

Choose profile

Verify requirement

Set up database


# FRONT-END DEVELOPER




```
<article id="node-{{ node.id }}</pre>
  {{ title_prefix }}
  {% if not page %}
    <h2 {{ title_attributes }}>
      <a href="{{ node_url }}"
    </h2>
```








Standard interactions like modal, dropbutton









**Natively** responsive



Themers don't need to know PHP

```
<article id="node-{{ node.id }}


{{ title_prefix }}
  {% if not page %}
    <h2 {{ title_attributes }}>
        <a href="{{ node_url }}"
        </h2>
```

### Modern theming




**Better libraries** 


Better markup




Standard interactions like modal, dropbutton



\* = 1 -





Natively responsive



Themers don't need to know PHP


```
<article id="node-{{ node.id }}</pre>
  {{ title_prefix }}
  {% if not page %}
    <h2 {{ title_attributes }}>
      <a href="{{ node_url }}"
    </h2>
```

Modern theming



Better libraries






Structure


Comments

Appearance

People



**Standard** interactions like modal, dropbutton



**Natively** responsive



Themers don't need to know PHP

```
<article id="node-{{ node.id }}

{{ title_prefix }}

{% if not page %}

<h2 {{ title_attributes }}>

<a href="{{ node_url }}"

</h2>
```

Modern theming




**Better libraries** 






Standard interactions like modal, dropbutton







Natively responsive



Themers don't need to know PHP

```
<article id="node-{{ node.id }}

{{ title_prefix }}

{% if not page %}

<h2 {{ title_attributes }}>

<a href="{{ node_url }}"


</h2>
```

Modern theming





**Better libraries** 

Better markup



Standard interactions like modal, dropbutton







Natively responsive



Themers don't need to know PHP

```
<article id="node-{{ node.id }}</pre>
  {{ title_prefix }}
  {% if not page %}
    <h2 {{ title_attributes }}>
      <a href="{{ node_url }}"
    </h2>
```

Modern theming

Place block

Recent comments

Number of recent co

✓ Display title

10 \$

Region

Title\*




Better libraries






Content

Comments







**Themers** don't need to know PHP

# MARKETING MANAGER








Structured content that is SEO-friendly

**Native apps** 



Integration with thirdparty services

schema.org



Responsive preview

Create Article ⊕
Home » Add content
Title*
Tags
Enter a comma-separated list of v
Image
Choose File No file chosen



Home » Administration » Configuration » Regional and language

User interface translation o

TRANSLATE

allows a translator to search for specific translated and uranslations. (Note: Because translation tasks involves makport as for offline editing in a desktop Gettext translation ed specific language.

#### ► FILTER TRANSLATABLE STRINGS

SOURCE STRING	TRANSLATION FOR CZECH
Hide	Skrýt
Show	Ukázat
open	otevřené

Structured content that is SEO-friendly

Native apps



Integration with third-party services

schema.org

Pebble My account
Log out

Responsive preview

Home » Add content	
Title*	
Tags	

Enter a comma-separated list of

Create Article •

Image

Choose File No file chosen



User interface translation o

TRANSLATE

allows a translator to search for specific translated and use translations. (Note: Because translation tasks involves make translations and translations in a desktop Gettext translation edspecific language.

FILTER TRANSLATABLE STRINGS

SOURCE STRING

TRANSLATION FOR CZECH

Structured content that is SEO-friendly


Native apps

REST

Integration with third-party services

Create Article

schema.org



Responsive preview

Home » Add content	
Title*	
Tags	
Enter a comma-separated list o	f V
Image	



User interface translation o

▶ FILTER TRANSLATABLE STRINGS

Structured content that is **SEO-friendly** 

Native apps

Integration with thirdparty services

schema.org

Reports

Responsive preview

Create Article •

Home » Add content

Title\*

Tags

Enter a comma-separated list of v

Image

Choose File No file chosen



Но	me » Administration » Config	uration » Regional and I		
U:	ser interface trans	lation o	TRANSLATE	
ļ	allows a translator to search for specific translated and utanslations. (Note: Because translation tasks involves maken to specific language.  FILTER TRANSLATABLE STRINGS			
₽.				
	SOURCE STRING	TRANSLATION FOR	CZECH	
	Hide	Skrýt		
	Show	Ukázat		

Structured content that is SEO-friendly






Integration with third-party services

Croato Articlo

schema.org



Responsive preview

create Article
Home » Add content
Title*
Tags
Enter a comma-separated list of V
lmage V
Choose File No file chosen





Structured content that is SEO-friendly


Native apps



Integration with thirdparty services

Create Article ●

schema.org




Responsive preview

Home » Add content
Title*
Tags
Enter a comma-separated list of v
Choose File No file chosen
Choose The House

## ENGINEERING DIRECTOR







Guzzle & frame service

View Guz

More versatile framework

### Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Co

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;


/**
 * The path alias being of
 *
```

Object oriented modern code





Scalability







Guzzle & frame service

View Guz

More versatile framework

Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Co

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;


/**
 * The path alias being of
 *
```

Object oriented modern code





**Scalability** 







Guzzle & frame service

View Guz

More versatile framework

Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Cc

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;


/**
 * The path alias being come.
```

Object oriented modern code





**Scalability** 







Guzzle & frame service

View Guz

More versatile framework

Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Co

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;

/**
 * The path alias being of
 *
```

Object oriented modern code





**Scalability** 







Guzzle & frame service

View Guz

More versatile framework

Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Co

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;


/**
 * The path alias being o
 *
```

Object oriented modern code





**Scalability** 







Guzzle & frame service

View Guz

More versatile framework

Configuration in files


```
/**
 * Builds the form to delet
 */
class DeleteForm extends Co

/**
 * The path crud service
 *
 * @var Path $path
 */
protected $path;


/**
 * The path alias being of
 *
```

Object oriented modern code





Scalability













### WE'VE UPPED OUR GAME



# THERE IS A LOT OF WORK LEFT TO BE DONE





"If you want to go quickly, go alone."
If you want to go far, go together."

- Al Gore




## OIL. MAKEIT FASTER

 Still have backward compatibility layers in place

 Will start to focus on performance once these are removed





- Simplify APIs
- Make code less verbose
- Write documentation

# GG. SIMPLIFY UPGRADING

- Fix the upgrade path
- Help with Coder module
- Write documentation






		CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
EARL	Y 2013	Anything goes! features, API changes, and additions			DODTI AND
					PORTLAND

CORE TEAM		MODULE DEVELOPERS	THEMERS	SITE BUILDERS
EARLY 2013	Anything goes! features, API changes, and additions			PORTLAND
MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		TOTTLAND

CORE TEAM		MODULE DEVELOPERS	THEMERS	SITE BUILDERS
<b>EARLY 2013</b>	Anything goes! features, API changes, and additions			PORTLAND
MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		
				PRAGUE




		CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
FEATURES	<b>EARLY 2013</b>	Anything goes! features, API changes, and additions			PORTLAND
	MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		
	LATE 2013 BETA 1	Focus on cleaning up APIs	Provide early API feedback		PRAGUE

		CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
FEATURES	<b>EARLY 2013</b>	Anything goes! features, API changes, and additions			DODTLAND
	MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		PORTLAND
	LATE 2013 BETA 1	Focus on cleaning up APIs	Provide early API feedback		PRAGUE
	EARLY 2014 RC1	Focus on release blockers only.	Start upgrading contributed modules	Start upgrading contributed themes	Start testing Drupal 8, upgrade path

		CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
FEATURES	EARLY 2013	Anything goes! features, API changes, and additions			DODTIAND
	MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		PORTLAND
REFINING	LATE 2013 BETA 1	Focus on cleaning up APIs	Provide early API feedback		PRAGUE
	EARLY 2014 RC1	Focus on release blockers only.	Start upgrading contributed modules	Start upgrading contributed themes	Start testing Drupal 8, upgrade path

		CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
FEATURES	EARLY 2013	Anything goes! features, API changes, and additions			DODTLAND
	MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		PORTLAND
REFINING	LATE 2013 BETA 1	Focus on cleaning up APIs	Provide early API feedback		PRAGUE
	EARLY 2014 RC1	Focus on release blockers only.	Start upgrading contributed modules	Start upgrading contributed themes	Start testing Drupal 8, upgrade path
IT'S	S READY WHEN IT'S READY	No bugs	Contrib modules	Contrib themes	Early adopters

			CORE TEAM	MODULE DEVELOPERS	THEMERS	SITE BUILDERS
	FEATURES	EARLY 2013	Anything goes! features, API changes, and additions			DODTLAND
		MID 2013 ALPHA	Focus on cleaning up APIs	Provide early API feedback		PORTLAND
	REFINING	LATE 2013 BETA 1	Focus on cleaning up APIs	Provide early API feedback		PRAGUE
TESTING		EARLY 2014 RC1	Focus on release blockers only.	Start upgrading contributed modules	Start upgrading contributed themes	Start testing Drupal 8, upgrade path
	IT'	S READY WHEN IT'S READY	No bugs	Contrib modules	Contrib themes	Early adopters





## DRUPAL 8 LAUNCH LET'S "UP IT" MORE!



## HISTORY OF DRUPAL LAUNCHES

## HISTORY OF DRUPAL LAUNCHES

• Drupal 6: one blog post

## HISTORY OF DRUPAL LAUNCHES

- Drupal 6: one blog post
- Drupal 7: one landing page and 300 parties

Drupal Association hired marketing and communication manager

### JOE SAYLOR



Drupal Association hired marketing and communication manager

### JOE SAYLOR





Get Started Community Documentation Support Download & extend Marketplace About

#### Drupal

Come for the software, stay for the community

Drupal Homepage

Log in / Register

#### Search drupal.org

Q

Search

### Drupal 8 is here!



#### Why choose Drupal?

Use Drupal to build everything from personal blogs to enterprise applications. Thousands of add-on modules and designs let you build any site you can imagine. Join us!

Get started with Drupal

#### **Drupal distributions**

Distributions are a collection of pre-configured themes and modules for feature-rich web sites giving you a head start on building your site. Build your own online communities, media portal, online store, and more!

Learn about distributions

Develop with Drupal



Choose language

Choose profile

Verify requirements

Set up database

Installation profile

Configure site

Finished

#### Choose language



Translations will be downloaded from the Drupal Translation website.

If you do not want this, select English and continue the installation. For more information, see the online handbook.

Save and continue

#### **D8 LAUNCH 2014 PLAN**

#### Launch Objectives

- Grow Drupal adoption as a percentage of site usage
- Grow the Drupal developer community
- Support and celebrate the existing community



#### **D8 LAUNCH 2014 PLAN**

#### Asset Wish List

- Overview video
- Overview presentation
- Drupal 8 training
- Sales guide for agencies and shops



## Engaging the Community

Provide a promotion package with content and materials people can easily use to promote the launch:

- Example social media updates
- Overview presentation
- Branded assets (logo, brand guidance)



Copyright 2013, The Drupal Association

## Country Groups on G.D.O

- Provide launch promotional materials
- Provide information that can be translated:
  - Press release
  - Example PR pitch
  - Example social media updates

Drupal


## We help individuals build a dream We give small organizations a big voice

We give enterprises a new idea


We inspire wonder and delight


We admit no boundaries


We level the playing field





















joined:

6 years ago


location:

United Kingdom


contribution:

Core co-maintainer






















d.o username:

Cottser

joined:

2.5 years ago


location:

Canada


contribution:

Themer/Mentor























contribution:

Views in Core











d.o username: effulgentsia

joined:


7 years ago

location:


**United States** 

contribution:

Diplomat/Momentum Engineer











## VIRTUAL HIGH FIVE





## **O G A**


Contact: http://buytaert.net/contact

Twitter: @Dries #DriesNote

Blog: http://buytaert.net

The Big Group Photo will take place outside Entrance 5 immediately after the keynote

## Big Group Photo



- 1. Exit First Floor Exit Doors on your right
- 2. Go down stair case to Ground Floor
- 3. Go out Door 5
- 4. Turn Left and go out to the plaza

3. Exit 5